Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(("5550889") or ("5559504") or ("60815576")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/02 15:32
L2	3	(("5550889") or ("5559504") or ("6081576")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/02 15:32
L3	1	2 and z adj axis	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 15:33
L4	0	z adj axis adj transfer adj function and x-ray adj tube	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:03
L5	0	z adj axis adj transfer adj function and x-ray	US-PGPUB; USPAT; USOCR; EPO; JPO	OR ·	ON	2005/04/02 15:34
L6	28	z adj axis and transfer adj function and x-ray adj tube	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 15:37
L7	8	z adj axis same transfer adj function and x-ray adj tube	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 15:39
L8	1	z adj axis same transfer adj function and x-ray adj tube and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 15:40
L9	0	z adj axis same transfer adj function and x-ray adj tube and deflection	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 15:41
L10	8	z adj axis same transfer adj function and x-ray adj tube and current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR .	ON	2005/04/02 15:58
L11	0	z adj axis same transfer adj function and x-ray adj tube and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 15:49
L12	3	z adj axis same transfer adj function and x-ray and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO	OR .	ON	2005/04/02 15:50

	T					<u> </u>
L13	2	"696343".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 15:59
L14	0	z adj axis adj tracking same x-ray adj tube	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:04
L15	47	z adj axis same x-ray adj tube same collimator	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:04
L16	8	z adj axis same x-ray adj tube same collimator same focal adj spot	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:21
L17	2	z adj axis same x-ray adj tube same collimator same focal adj spot and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:27
L18	4	378/109 and z adj axis and focal adj spot and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:28
L19	0	378/109 and z adj axis and focal adj spot and deflection adj current	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:29
L20	4	378/109 and z adj axis and focal adj spot	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:29
L21	13	378/110 and z adj axis and focal adj spot	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:30
L22	21	378/113 and z adj axis and focal adj spot	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON .	2005/04/02 16:34
L23	184	378/113 andadjust\$5 same focal adj spot	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 16:35
L24	35	378/113 and adjust\$5 same focal adj spot	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 17:00

L25	30	378/113 and adjust\$5 same focal adj spot and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 17:02
L26	19	378/113 and adjust\$5 same focal adj spot and voltage and detector	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 17:07
L27	7	378/113 and adjust\$5 same focal adj spot and voltage and detector and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/02 17:07